

KULLEĠĠ SAN BENEDITTU Secondary School, Kirkop

HALF YEARLY EXAMINATION - 2016/2017

YEAR 9 Track 3

MATHEMATICS

MARKING SCHEME

Aids for Marking of Scripts

Types of Marks

- M(ethod) marks are awarded for knowing a correct method of solution and attempting to apply it. Method marks cannot be lost for arithmetic mistakes. They can only be awarded if the method used would have led to the correct answer had not an arithmetic mistake been made. In general a correct method is implied by a correct answer and therefore when a correct answer is given and no work is shown, no method marks are lost.
- A(ccuracy) marks are given for correct answer only (c.a.o.) Incorrect answers, even though nearly correct, score no marks. Accuracy marks are also awarded for incorrect answers which are correctly followed through (f.t.) from an incorrect previous answer, provided that f.t. is indicated in the mark scheme. No method (M) or accuracy (A) marks are awarded when a wrong method leads to a correct answer.
- ➢ B marks are accuracy marks awarded for specific results or statements independent of the method used.

Misreading

M marks can still be earned (unless that part of the question is trivialized) but the final A marks are lost.

Crossed out working

An answer or working that is crossed out and not replaced is marked as if it were not crossed out. If the answer or working is replaced, then the crossed out answer or working is ignored and should not be considered for marking.

Units

In general, missing or inaccurate units are not penalised unless otherwise indicated in the mark scheme.

Other

- ▶ Incorrect working or statements following a correct answer are ignored.
- Marks are not sub-divisible; no half marks may be awarded.
- Other abbreviations used:
 - o o.e. (or equivalent)
 - e.e.o.o. (each error or omission)
- Markers are advised to indicate the M, A or B marks awarded in the body of the script and then write their total in the margin. The total mark for each question should be written in the table included at the top of page 1 of the main paper. This measure facilitates the moderation of papers.

| Quest. | | Requirements | Mark | | Additional Guidance |
|--------|------|---|----------|---|---------------------|
| 1 | | 8 | B1 | 1 | |
| | а | <u>y</u> | B1 | 2 | |
| 2 | | x | | _ | |
| | b | 2(xy - 2z + 4w) | B1 | | |
| | a i) | 1 | B1 | | |
| 3 | ii) | $\left(\frac{2}{1}\right)^2$ | M1 | 4 | |
| | | = 4 | A1 | | |
| | b | 27 <i>p</i> ⁶ | A1 | | |
| 4 | a | $5.7	imes10^5$ | B1 | 2 | |
| 4 | b | 5.7×10^{-2} | B1 | Δ | |
| | | $\frac{5}{2} \times \frac{7}{10} + \frac{4}{3}$ 7 4 | M1 | 4 | |
| 5 | | $\frac{-}{4} + \frac{-}{3}$ | M1 | | Seen or implied |
| 5 | | $\frac{21}{12} + \frac{16}{12}$ $\frac{37}{12} \text{ or } 3\frac{1}{12}$ | M1 A1 | | |
| 6 | | $\frac{3}{5}$: 1 or 0.6: 1 | B1 | 1 | |
| | | v - u = 4r | M1 | | |
| 7 | | $\frac{v-u}{4} = r$ | A1 | 2 | |
| 8 | | $4 \times 6, 5 \times 7$ | B2 | 2 | Both correct |
| 9 | | 70 × 20 | M2 | 2 | Both seen |
| | | 1400 | A1 | 3 | |
| | | 0.6 60% | B2 | | |
| 10 | | $\frac{2}{5}$ o.e. 0.4 | B2 | 4 | |

NON CALCULATOR PAPER (Total: 25 Marks)

MAIN PAPER (Total: 75 Marks)

| Quest. | | Requirements | M | ark | Additional Guidance |
|--------|---|---|----------|-----|----------------------------|
| 1 | a | 2 builders = 30 days 5 builders = ? 30×2 | M1 M1 | 6 | |
| | | = 12 days | A1 | | |
| | b | $\frac{24}{64} = \frac{3}{x}$ | M1 | 0 | Accept other valid methods |
| | | $x = \frac{3 \times 64}{24}$ | M1 | | |
| | | $= 8^{24}$ | A1 | | |

| | ai | $\frac{x}{(2)}$ | B1 | | |
|---|-----|---|----------|----|-------------------------------|
| | | (3-x) | N/1 | | |
| | an | $\frac{u-b}{(u-b)}$ | IVI I | | |
| | | -(a-b)(b-2a) | | | |
| | | $\overline{-(b-2a)} \ Or \ \overline{2a-b}$ | A1 | | |
| 2 | bi | 2(6+2x) = 48 | M1 | 8 | Seen or implied |
| | | 12 + 4x = 48 | A1 | | |
| | bii | 4x = 48 - 12 | M1 | | |
| | | 4x = 36 | M1 | | |
| | | $x = \frac{36}{36}$ | | | |
| | | 4 | Δ1 | | |
| | а | x = 56 m Sand = 28% × 2 = 56 % | M1 | | |
| | u | Marble = $100\% - 28\% - 56\%$ | M1 | | |
| | | = 16% | A1 | | |
| | b | Cement : Sand : Marble | | | |
| 3 | | 28:56:16 | M1 | 7 | |
| | | 7:14:4 | A1 | | |
| | c | 100% = 50kg | M1 | | |
| | | 16% = ? 16×50 ~~ | Δ 1 | | |
| | | $\frac{1}{100} = 8$ kg | AI | | |
| | | 100% - 35% = 65% | M1 | | |
| | | 65% = €351 | M1 | | |
| 4 | | 100% = ? 100 × 351 | | 3 | |
| | | 65 | A 1 | | |
| | | =€540 | 111 | | |
| | а | S = 180n - 360 S = 180(6) - 360 | M1 | | |
| | | S = 180(0) - 300 S - 720° | M1 M1 | | |
| | | S = 720 | A1 | 11 | |
| | 1 | each int. angle = $\frac{-6}{6}$ = 120 | | | |
| | b | each ext. = $180 - 156 = 24^{\circ}$ | MI M1 | | |
| | | 24 | | | |
| 5 | | = 15 sides | | | |
| | с | int. angle = $180 - x$ | M1 | | Accept other valid methods |
| | | 720 = 180 - x + 110 + 120 | | | |
| | | + 140 + 140 + 90 | M1 | | |
| | | 720 = 780 - x | M1 | | |
| | | x = 780 - 720 | M1 | | |
| | | $x = 60^{\circ}$ | A1 | | |
| 6 | a | $x^2 - 7x + 5x - 35$ | M1 | 4 | Allow 1 error |
| | | $x^2 - 2x - 35$ | A1 | | |
| | b | $\frac{12a^2b^3}{2}$ | N/I 1 | | or simplifying numerator with |
| | | 2 <i>b</i> | 111 | | denominator |
| | | $6a^2b^2$ | A1 | | |
| | | | | | |
| | | | | | |

| | | , PTR | M1 | | |
|----|---------|---|------------|----|---------------------------|
| | | $I = \frac{100}{100}$ | | | |
| | | $I \times 100$ | | | |
| 7 | | P = -TR | | 3 | |
| | | $P = \frac{3645 \times 100}{3645 \times 100} - \frac{364500}{364500}$ | M1 | | |
| | | 6×4.5 27 $P - \epsilon 12500$ | A1 | | |
| | 0 | $r = e_{13,300}$ | D) | | (1 mark for a a a a) |
| | a bi | $(100 \times 2) + 1 - 200 + 1$ | <u> </u> | | (-1 mark for e.e.o.o) |
| | 01 | $(100 \times 2) + 1 = 200 + 1$ - 201 | $\Delta 1$ | | |
| | hii | 3 5 7 9 11 | M1 | - | |
| | 011 | $2n \cdot 2 \ 4 \ 6 \ 8$ | 1411 | | |
| | | = 2N + 1 | A1 | | |
| 8 | C | 2n + 1 = 321 | M1 | | |
| Ŭ | C | 2n + 1 = 521 2n = 321 - 1 | M1 | 11 | |
| | | 2n = 320 | 1,11 | | |
| | | n = 320/2 | | | |
| | | n = 160 | A1 | | |
| | d | No | A1 | | |
| | | as 240 is an even number | M1 | | Or any other valid reason |
| | а | 3 + 11 + 13 + 15 + 5 + 3 = 50 | B1 | | |
| | b | 4 people | B1 | - | |
| | с | $= [(1 \times 3) + (2 \times 11) + (3 \times 11)]$ | M1 | | |
| 9 | | $13) + (4 \times 15) + (5 \times 5) + (6)$ | | 5 | |
| | | × 3)] / 50 | M1 | 2 | |
| | | $=\frac{167}{1}$ | | | |
| | | 50 - 3.34 | A1 | | |
| | | 2x+4 2x 8 | | | |
| | | $\frac{1}{4} + \frac{1}{4} = \frac{1}{4}$ | M1 | | |
| | | 2x + 4 + 2x = 8 | M1 | | |
| 10 | | 4x = 4 | M1 | 4 | |
| | | x = 1 | A1 | | |
| | | | | | |
| | a | $AB^2 = AD^2 + BD^2$ | M1 | | |
| | | $AB^2 = 2.4^2 + 3.5^2$ | M1 | | |
| | | $AB^2 = 18.01$ | | 6 | |
| 11 | | AB = 4.2 cm | A1 | | |
| 11 | b | $DC^2 = BC^2 - BD^2$ | M1 | | |
| | | $DC^2 = 7.6^2 - 3.5^2$ | M1 | | |
| | | $DC^2 = 45.51$ | | | |
| | | DC = 6.7 cm | A1 | | |
| | a | 4x - 2 + 6x = 3 - 2x + 1 | M2 | | |
| | | 4x + 6x + 2x = 3 + 1 + 2 | M 1 | | |
| | | 12x = 6 | | | |
| 12 | | $x = \frac{6}{6}$ | | | |
| | | $x = \frac{12}{12}$ | | 7 | |
| | | $r = \frac{1}{r}$ | A1 | | |
| | - | x - 2 | 3.54 | | |
| | b | 2.5 | MI | | |
| | | 2.1 | MI A 1 | | |
| | | x = 2.6 | AI | | |